





44' MOBILE DISHWASHER TRAILER SPECIFICATIONS

Production Equipment

Ecotemp Work Horse WH-44 high temp conveyor dishwasher with booster heater
Three 24" x 72" stainless work table
Mildew resistant shelving
Three compartment sink
Hand wash sink with towel and soap dispenser
Tankless "On Demand" Hot water system

Trailer Specification

Double Roof top 13500 BTU air conditioners
Two 5000 watt wall heaters
Fire exit lights
5-Vapour sealed florescent lights
Wall mount electrical 20 amp circuits above work tables
Three exit doors with screens
Triple 7000 axels with aluminum rims
Full blown insulation floors, walls, ceiling and floors
Full LED lights on trailer
Trailer weight is 13,200 LBS. Regular 5th wheel hitch 2 inch King Pin.
7 Pin Flat regular RV style electrical plug
Tongue weight approx. 4200 pounds
Overall length – 44'
Overall width – 8.5'
Deck height – 25"

All units are ESA, NFPA, UL, NSF, DOT Approved

Connection Requirements

200 amp three phase 220 volt
¾inch food-grade fresh water line
3" grey water disposal line
Regular propane hook-up (Based on 13" water column)

Corporate Office ★ 3790 Davidson Rd ★ Inverary, Ontario Canada K0H1X0
Phone 800.513.2668 ★ fax 888.353.7660

California ■ Florida ■ Maryland ■ Michigan ■ Washington
www.AmericanMobileKitchens.com

